







Rofy Concept S Spa Concept O



INDELAGUE GROUP

INDELAGUE ROXO lighting

OVERVIEW

	CONCEPT RANGE				
					
	CONCEPT S	CONCEPT O /T	CONCEPT O /E	CONCEPT O	CONCEPT O D/I
Type of Application					
Light Distribution					 10% 90%
Dimensions	1/8 (45°) * 1/4 (90°) * 1/2 (180°) * Straight Line *	Ø 650 mm Ø 950 mm Ø 1250 mm Ø 1550 mm Ø 1950 mm	Ø 676 mm Ø 976 mm Ø 1276 mm	Ø 650 mm Ø 950 mm Ø 1250 mm Ø 1550 mm Ø 1950 mm	
Optical System	DOZ 				
Colour Temperature	3000K 4000K				
Finishes					
Ceiling Roses		--			
Emergency Unit	--				
Low Power Version	--				
Safety Cable	--				
























* For dimension details, please check our website or current catalogue.

** TunableWhite is not available for Ø 400mm versions.

*** Emergency unit is not available for Ø 400mm versions.

ROFY RANGE

SPA RANGE

								
ROFY /T LED	ROFY /E LED	ROFY LED	ROFY D/I LED	ROFY Z LED	ROFY Z D/I LED	SPA /E LED	SPA LED	SPA D/I LED
								
			 30% 70%		 30% 70%			 20% 80%
Ø 400 mm Ø 600 mm Ø 900 mm Ø 1150 mm			Ø 600 mm Ø 900 mm Ø 1150 mm			590x590 mm 875x315 mm 1150x315 mm 1425x315 mm		
gCONTROL gCONTROL+ DOZ						gCONTROL+ DOZ		DOZ DAM
TunableWhite** 3000K 4000K						3000K 4000K		
<ul style="list-style-type: none"> White Grey Black Blue Green Yellow Red Jungle Golden eye Sahara Autumn Rusty chain Pure chocolate Mist Dark rock Carbon 			--					
1 or 3 Hours***								
✓								
--	✓	--				✓	--	


CREATE SPACES
THROUGH LIGHT






OPTICAL SYSTEM


g CONTROL+™




g CONTROL™



DOZ





FINISHES

WHITE




GREY




BLACK



BLUE



GREEN




YELLOW



RED




JUNGLE




PURE CHOCOLATE



SAHARA




MIST



GOLDEN EYE



DARK ROCK




AUTUMN



CARBON










RUSTY CHAIN



CONCEPT S
RANGE











EXAMPLE OF
POSSIBLE LIGHT
CONCEPTS





45° CIRCLE 90° CIRCLE
180° CIRCLE STRAIGHT LINE







CONCEPT O
RANGE



CONCEPT O
Suspended
Direct

CONCEPT O RANGE



CONCEPT O / T



CONCEPT O / E



CONCEPT O




CONCEPT O




CONCEPT O D/I

CONCEPT O / E
Recessed with trim



CONCEPT O / T
Recessed trimless



CONCEPT O
Surface mounted



CONCEPT O D/I
Suspended
Direct / Indirect



AVAILABLE
SIZES



Ø 650 mm



Ø 950 mm



Ø 1250 mm




Ø 1550 mm



Ø 1950 mm

Please note: CONCEPT O / E is only available for Ø 676 / 976 and 1276 mm versions.













ROFY
RANGE





ROFY Z LED
Surface aura
Direct



ROFY Z D/I LED
Surface aura
Direct / Indirect



ROFY D/I LED
Suspended
Direct / Indirect

AVAILABLE
SIZES



Ø 400 mm



Ø 600 mm





Ø 900 mm



Ø 1150 mm


Please note: ROFY D/I LED / ROFY Z LED and ROFY Z D/I LED, only available for Ø 600 / 900 and 1150 mm versions.
















SPA
RANGE





SPA LED
Surface mounted



SPA D/I LED
Suspended
Direct / Indirect

AVAILABLE
SIZES



590x590 mm



875x315 mm




1150x315 mm




1425x315 mm











INDELAGUE GROUP

HEADQUARTERS

INDÚSTRIA ELÉTRICA DE ÁGUEDA S.A.
Rua da Mina 465 | Covão
Zona industrial EN1 Norte
Apartado 106 / 3754-909
3750-792 Trofa
ÁGUEDA | PORTUGAL
GPS. 40°36'5.84"N 8°27'4.38"W
T. +351 234 612 310 | F. +351 234 624 058
indelague@indelague.pt
WWW.INDELAGUE.COM

UNITED KINGDOM

ROXO LIGHTING LIMITED
roxo.london@roxolighting.com
WWW.ROXLIGHTING.COM

SPAIN

INDELAGUE ESPAÑA, S.L.
Avenida del Ejército, nº 8 - 1º C
C.P. 15006 | A CORUÑA | ESPAÑA
comercial@indelague.com
WWW.INDELAGUE.COM

All data contained in this brochure does not constitute any commitment to INDELAGUE - Indústria Eléctrica de Águeda, S.A. . The company itself, reserves the right to change or modify any information stated without prior notice. The reproduction of this brochure or any part of it is prohibited. Electric/Optical data are subject to an initial tolerance of +/- 10%. Tolerance of colour temperature: +/- 150 K. Unless stated otherwise, the technical data represent rated values for an ambient temperature of 25°C.

Cofinanciado por:



UNIÃO EUROPEIA
Fundo Europeu
de Desenvolvimento Regional