









FESAL LED

## FESAL LED

FESAL downlighter is designed for modern lighting solution with its low glare index it allows you the freedom to light your space exactly as you choose but comfort atmosphere. Built on innovative thinking to fulfil the most demanding areas, it also reflects a contemporary concept while satisfying your needs for a practical lighting solution.

The different angles of the reflectors available allows you to place the same downlights with different light exposures.

Areas of Application: Commercial surfaces, businesses, public places, houses, offices, restaurants and hotels, art and culture.

## Optic System Options





# **Color Options**





## Tempered Glass/Diffuser Options





DAM - Microprismatic diffuser





## Recessed round LED downlighter

- Aluminium body.
- LED luminaire luminous flux up to 900/1100 Lm.
- 9w/11w available.
- LED up to 72 Lm/W.
- Life 50000 Hours.
- Colour temperature 4000/3000K.
- CRI >90.

#### **Optional:**

- Dimmable versions (DALI).
- 25°/35°/60° reflectors.
- 4mm transparent/opal tempered glass.
- Microprismatic diffuser.
- 3 hours emergency.



INDELAGUE GROUP

## **INDELAGUE**

HIGH TECH | LIGHTING SOLUTIONS



## **HEADQUARTERS**

INDÚSTRIA ELÉTRICA DE ÁGUEDA S.A. Rua da Mina 465 | Covão Zona industrial EN1 Norte Apartado 106 / 3754-909 3750-792Trofa ÁGUEDA | PORTUGAL GPS. 40° 36′ 00.54″ N | 8° 27′ 11.76″ W T. +351 234 612 310 | F. +351 234 624 058 WWW.INDELAGUE.COM

## **UNITED KINGDOM**

ROXO LIGHTING LIMITED 24 BEDFORD ROW LONDON | WC1R 4TQ roxo.london@roxolighting.com WWW.ROXOLIGHTING.COM

#### SPAIN

INDELAGUE ESPAÑA, S.L. Avenida del Ejército, n° 8 - 1°C C.P. 15006 | A CORUÑA | ESPAÑA comercial@indelague.com WWW.INDELAGUE.COM







The company reserves the right to change specification without prior notification or public announcement.