



# OSLO LED

OSLO downlight was design to offer a smart solution from conventional compact fluorescent downlighters. OSLO has all the inherent LED benefits in a reliable and sustainable design. The different range of interchangeable reflectors make OSLO downlighter suitable for a wide variety of applications. This fixture creates a dynamic new visual experience that enhances a unique space and delivers excellent visual comfort.

Areas of Application: Commercial surfaces, businesses, public places, houses, offices, restaurants and hotels, art and culture.

### Optic System Options









**Color Options** 



## Tempered Glass/Diffuser Options





Transparent Opal

ent Opal DAM - Microprismatic diffuser





# Recessed LED square downlighter

- LED luminaire luminous flux up to 900/1100 Lm.
- 9/11W powers options.
- LED up to 72 Lm/W.
- Life 50000 Hours.
- Colour temperature 4000/3000K.
- CRI >90.

#### **Optional:**

- Dimmable versions (DSI/DALI).
- 25°/35°/60° reflectors.
- 4mm transparent/opal tempered glass.
- Microprismatic diffuser.
- 3 hours emergency.

INDELAGUE GROUP

# **INDELAGUE**

HIGHTECH | LIGHTING SOLUTIONS



### **HEADQUARTERS**

INDÚSTRIA ELÉTRICA DE ÁGUEDA S.A. Rua da Mina 465 | Covão Zona industrial EN1 Norte Apartado 106 / 3754-909 3750-792Trofa ÁGUEDA | PORTUGAL GPS. 40° 36′ 00.54″ N | 8° 27′ 11.76″ W T. +351 234 612 310 | F. +351 234 624 058 WWW.INDELAGUE.COM

## **UNITED KINGDOM**

ROXO LIGHTING LIMITED 24 BEDFORD ROW LONDON | WC1R 4TQ roxo.london@roxolighting.com WWW.ROXOLIGHTING.COM

#### SPAIN

INDELAGUE ESPAÑA, S.L. Avenida del Ejército, n° 8 - 1°C C.P. 15006 | A CORUÑA | ESPAÑA comercial@indelague.com WWW.INDELAGUE.COM







The company reserves the right to change specification without prior notification or public announcement.